

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1840	queue adj set	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/05 07:40
S7	2990	(370/229 or 370/351).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/05 09:22
S8	5256	(370/229 or 370/351 or 370/412).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/05 08:08
S9	5612	(370/235 or 370/351 or 370/412).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/05 08:09
S10	723	S9 and (queue\$3 with manag \$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/17 09:36
S11	299	S10 and scheduler	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/05 08:26
S12	33	S11 and (queue adj set)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/05 08:33
S13	6	S9 and (queue adj2 service adj2 interval)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 14:03
S14	13961	(370/229 or 370/230 or 370/230.1 or 370/231 or 370/232 or 370/233 or 370/234 or 370/235 or 370/351 or 370/389 or 370/390 or 370/412 or 370/413 or 370/414 or 370/415).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/05 09:25



S15	1765	S14 and (manag\$5 with queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/05 14:57
S17	144	S15 and (queue adj set)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/05 09:31
S19	605	S15 and (queue with size)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/05 10:19
S20	10	S15 and (queue with (target or nominal) adj2 size)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/05 11:11
S22	10	S15 and (queue with (target or nominal) adj2 (size or (packet adj2 count)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/05 17:18
S23	34	S15 and (single adj2 entity)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/05 14:58
S24	12	S14 and (queue with (target or nominal) adj2 (size or (packet adj2 count)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/05 15:26
S25	5	S15 and (queue adj2 service adj2 interval)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 08:03
S26	10	S14 and (queue adj2 service adj2 interval)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/05 17:17
S27	0	S22 and S26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/05 17:18



S28	13980	(370/229 or 370/230 or 370/230.1 or 370/231 or 370/232 or 370/233 or 370/234 or 370/235 or 370/351 or 370/389 or 370/390 or 370/412 or 370/413 or 370/414 or 370/415).cccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 08:04
S29	0	S28 and (queue adj2 service adj2 interval) and (data adj2 rate) and (target with size)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 08:39
S31	63	S28 and (data adj2 rate) and (target with size)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 08:11
S32	473	S28 and (data adj2 rate) and (queue with size)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 08:11
S33	51	S28 and (data adj2 rate) same (queue with size)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 08:11
S34	2	S28 and (queue adj2 service adj2 interval) and (data adj2 rate) and (size near queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 14:30
S35	11	S28 and (queue adj2 service adj2 interval)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 11:10
S36	256	S28 and (data adj2 rate) and (size near queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 08:42
S38	28	S28 and (data adj2 rate) and ((target or average) near3 (queue near3 size))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 08:53
S39	41	S28 and (determi\$5 or estimat\$3 or calculat\$3) with ((target or average) near3 (queue near3 size))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 08:58



S40	0	S28 and (determi\$5 or estimat\$3 or calculat\$3) with ((target or average) near3 (queue near3 size)) and (adjust\$3 near3 (queue near3 (service adj2 (interval or time))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 12:51
S41	1	S28 and (adjust\$3 near3 (queue near3 (service adj2 (interval or time))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 09:03
S42	2	S28 and ((adjust\$3 or chang\$3 or modify\$3) near3 (queue near3 (service adj2 (interval or time))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 09:03
S43	3	S28 and (queue adj2 service adj2 interval) and (queue near3 (size or lenght))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 12:32
S44	15	S28 and (queue near4 target near4 size)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 12:32
S45	3	S28 and (queue adj2 service adj2 interval) and (size near queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 12:59
S46	3	S28 and (queue adj2 service adj2 interval) and ((size or length) near4 queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 12:43
S47	0	S28 and (determi\$5 or estimat\$3 or calculat\$3) with ((target or average or nominal) near4 (queue near4 size)) and (adjust\$3 near3 (queue near3 (service adj2 (interval or time))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 12:53
S48	41	S28 and (determi\$5 or estimat\$3 or calculat\$3) with ((target or average or nominal) near4 (queue near4 size))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 12:54
S49	60	S28 and (determi\$5 or estimat\$3 or calculat\$3) same ((target or average or nominal) near4 (queue near4 size))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 12:54



S50	14	S28 and (queue near4 service near4 interval) and (queue near4 size)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 12:59
S51	147	S28 and (queue adj2 service) and (size near4 queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 14:31
S52	13	S28 and (queue adj2 service adj2 (interval or time)) and (size near4 queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 14:44
S53	0	S28 and (queue adj2 service adj2 (interval or cycle)) and (target near4 size near4 queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 14:45
S54	4	S28 and (queue adj2 service adj2 (interval or cycle)) and (size near4 queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 14:58
S55	4	S28 and (queue adj2 (service or attention) adj2 (interval or cycle)) and (size near4 queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 15:05
S57	4	S28 and (queue adj2 (service or attention) adj2 (interval or cycle)) and ((size or length) near4 queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 15:14
S58	23	S28 and (queue near4(service or attention) near4 (interval or cycle)) and ((size or length) near4 queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 15:52
S59	52	S28 and (queue near4(service or attention) near4 (interval or cycle))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 16:50
S60	4	S28 and (queue near4(service or attention) near4 (interval or cycle)) same (queue near4 (size or length))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 17:29
S61	4	S28 and (queue near4(service or attention) near4 (interval or cycle)) same ((queue or stack or list or line) near4 (size or length))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 08:49



S62	13980	(370/229 or 370/230 or 370/230.1 or 370/231 or 370/232 or 370/233 or 370/234 or 370/235 or 370/351 or 370/389 or 370/390 or 370/412 or 370/413 or 370/414 or 370/415).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 08:49
S63	20	S62 and (queue near4(service or attention) near4 (interval or cycle)) same ((queue or stack or list or line) near4 (size or length or slots or packets))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 11:12
S64	455	S62 and (queue near4 (size or length)) same (bandwidth or (data adj2 (rate or flow)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 11:22
S65	177	S62 and (queue near4 size) same bandwidth	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 07:15
S66	14007	(370/229 or 370/230 or 370/230.1 or 370/231 or 370/232 or 370/233 or 370/234 or 370/235 or 370/351 or 370/389 or 370/390 or 370/412 or 370/413 or 370/414 or 370/415).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 07:16
S67	76	S66 and (Random adj early adj detection) and (shaping)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 07:16
S68	2	"6493347".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 09:42
S69	2	"5905725".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 09:43
S70	2	"6160819".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 09:44
S71	2	"5463620".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 11:26



S72	13192	queue with (size length)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 11:28
S73	239	target with queue with (size length)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 11:30
S74	76	target adj3 queue with (size length)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 12:45
S75	7	target adj3 queue with (size length) with packet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 12:55
S76	0	target adj3 queue with (size length) with packet adj2 length	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 12:21
S77	4	target adj3 queue with (size length) with packet with length	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 12:25
S78	2	allocat\$3 with target adj3 queue with (size length)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 12:25
S79	1921	370/230.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 12:45
S80	9	S73 and S79	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 12:45
S81	0	target adj queue adj size with length	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 12:56
S82	0	(target adj queue adj size) with length	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 12:58



S83	0	(target adj2 queue adj2 size) with length	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 12:58
S84	0	(target adj3 queue adj3 size) with length	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 15:43
S85	15	(target with queue with size) with length	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 13:00
S86	129	(target with (queue buffer) with size) with length	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 13:08
S87	2	"7072295".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 13:03
S88	292	(target with (queue buffer) with size) with maximum	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 13:09
S89	1	S79 and (target with (queue buffer) with size) with maximum	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 13:29
S90	61	packet adj length with (buffer memory queue) adj size	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 13:29
S91	10	(service adj3 interval) with (queue with size)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 14:26
S92	0	(service adj3 interval) with (queue with target with size)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 14:06
S93	12	(bandwidth (data adj2 rate)) with (queue with target with size)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 14:10



S94	2208	(bandwidth (data adj2 rate)) with ((queue buffer) with size)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 14:10
S95	542	(bandwidth (data adj2 rate)) with ((queue ) with size)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 14:17
S96	241	(bandwidth (data adj2 rate)) with ((queue ) adj2 size)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 14:18
S97	22	(service with interval) with (queue with size)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 16:52
S98	3	"7215680".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 16:51
S99	7	(service with interval) with (average with queue with size)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 17:13
S100	417	(average with queue with size)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 17:13
S101	33	S100 and service with interval	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 06:57
S105	1599	queue\$3 with (multicast\$3 replicat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 07:01
S106	776	S105 and "370".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 08:29
S109	2	"7047312".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 08:50



S110	37	congestion with service adj (interval time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 09:03
S111	658	congestion and service adj (interval time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 09:03
S112	102	congestion and (queue with (service adj (interval time)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 09:16
S113	4	congestion with (queue with (service adj (interval time)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 09:04
S114	58	(adjust\$3 chang\$3) same (queue with (service adj (interval time)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 09:17
S115	1	(adjust\$3 chang\$3) same (queue with (service adj (interval time))) same congestion	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 09:29
S117	0	(queue with (service adj (interval time))) same (target with (queue adj2 size))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 09:31
S118	0	(queue with (service adj2 (interval time))) same (target with (queue adj2 size))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 09:31
S119	0	(queue same (service adj2 (interval time))) same (target with (queue adj2 size))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 09:31
S120	0	(queue same (service adj2 (interval time))) same (target same (queue adj2 size))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 09:32
S121	0	((service adj2 (interval time))) same (target same (queue adj2 size))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 09:33



S122	33	((service adj2 (interval time))) same ( (queue adj2 size))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 09:43
S123	144	((service adj2 (interval time))) same (queue adj2 (size length))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 09:55
S124	7	((service adj2 (interval time))) same ((target desired) with (queue adj2 (size length)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 09:55
S125	0	queue adj set adj generator	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 10:52
S126	10	(notify notification) with ready with scheduling	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 11:25
S127	6538	multicast\$3 and queue\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 13:54
S128	7	S127 and replication adj2 count	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 11:27
S129	1700	multicast\$3 same queue\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 13:54
S130	1061	multicast\$3 with queue\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 13:54
S131	26	multicast\$3 with queue\$3 with replication	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 14:52
S132	60	multicast\$3 with queue\$3 with replicat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 16:13



S133	935	determin\$3 with queue with "same"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 16:21
S134	2	S132 and S133	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 15:13
S135	298	S133 and "370".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 15:22
S136	18	S135 and multicasting	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 15:26
S137	26	S133 and multicasting	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 15:27
S138	47	compar\$4 with (queue fifo) with (content context) and multicast \$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 15:47
S139	5	compar\$4 with (queue fifo) near2 (content context) and multicast\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 15:48
S141	40	370/390.ccls. and 370/412.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 16:19
S142	6	S132 and S141	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 16:13
S143	8	S133 and 370/390.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 16:23
S144	7062	(determin\$3 find\$3) same queue same "same"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 18:29



S145	46	S144 and 370/390.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 16:23
S146	45463	(determin\$3 find\$3) with (queue packet content data) with "same"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/14 06:32
S147	7	S146 and S141	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 18:32
S148	1626	S146 and multicast\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 18:32
S149	8	S148 and S132	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 18:33
S151	6054	queue near\$3 "same"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 18:55
S152	638	S151 and replicat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 18:56
S153	173	S152 and multicast\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 19:03
S155	124	S153 and "same" near3 (content data packet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 19:11
S156	126	S153 and ("same" equal) near3 (content data packet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 19:11
S157	3844	(determin\$3 ) with multicast\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/14 06:33



S158	1474	(determin\$3 ) with (if whether) with multicast\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/14 06:34
S159	858	S158 and "370".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/14 10:05
S160	543	S159 and (@ad<="20021210" or @rlad<="20021210")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/17 09:38
S161	194	S160 and ("370/390".ccls. "370/412.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/14 09:44
S162	99	notif\$7 with ready with schedul \$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/14 09:45
S163	152	queue adj2 generator	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/14 10:00
S164	110	S163 and (@ad<="20021210" or @rlad<="20021210")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/14 10:05
S165	29	S164 and "370".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/14 10:04
S166	1060	allocat\$3 with packets with queue	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/14 10:05
S167	399	S166 and scheduler	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/14 10:05
S168	276	S167 and (@ad<="20021210" or @rlad<="20021210")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/14 10:05



S169	206	S168 and "370".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/14 10:05
S170	1973	queue adj set	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/17 09:37
S171	3	queue adj set with replication	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/17 09:37
S172	282	queue with replication	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/17 09:41
S173	150	S172 and (@ad<="20021210" or @rlad<="20021210")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/17 09:41
S174	162	queue near3 replication	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/17 09:41
S175	90	S174 and (@ad<="20021210" or @rlad<="20021210")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/17 09:59
S176	1	S175 and replication adj count	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/17 09:42
S177	638	determin\$3 near3 (packet queue) near3 ("same" identical)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/17 09:58
S178	78	S177 and replicat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/17 10:18
S179	60	S178 and (@ad<="20021210" or @rlad<="20021210")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/17 10:18



S180	159	S177 and (replicat\$3 multicast \$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/17 10:18
S181	119	S180 and (@ad<="20021210" or @rlad<="20021210")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/17 10:56
S182	71	replication adj count\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/17 10:56
S183	56	S182 and (@ad<="20021210" or @rlad<="20021210")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/17 10:56
S184	1	S183 and multicasting	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/17 10:56
S185	49	treat\$3 with queue with (unit whole)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 12:53
S186	19	treat\$3 near3 queue near3 (unit whole)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 13:00
S187	2199	(treat\$3 handl\$3 operat\$3) near3 (queue buffer) near3 (unit whole)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 13:03
S188	358	(treat\$3 handl\$3 operat\$3) near3 (queue ) near3 (unit whole)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 13:04
S189	275	S188 and (@ad<="20021210" or @rlad<="20021210")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 13:04
S190	7	(treat\$3 handl\$3 operat\$3) near3 (queue ) near3 ( whole)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 13:14



S191	43	(treat\$3 handl\$3 operat\$3 process\$3) near3 (queue ) near3 ( whole)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 13:14
S192	36	S191 and (@ad<="20021210" or @rlad<="20021210")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 13:14
S193	28	("4394725"   "4649473"   "4694396"   "4807111"   "4937737"   "5036459"   "5073852"   "5133053"   "5218713"   "5222217"   "5224215"   "5230051"   "5313638"   "5319778").PN. OR ("5555396").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/02/26 14:05
S194	1	"7215680".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2008/02/26 14:09
S196	4	"362632".ap.	US-PGPUB; USPAT; USOCR	OR	ON	2008/02/26 14:36
S201	2	"7272144".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 15:08
S202	2	"7191249".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 15:09
S203	14	target adj queue adj size	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 15:46
S204	6	estimated adj queue adj size	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 15:59
S205	432	based with queue adj size	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 16:02
S206	285	S205 and (@ad<="20021210" or @rlad<="20021210")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 16:03



S208	448	packet adj assembler adj disassembler	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 16:14
S209	387	S208 and (@ad<="20021210" or @rlad<="20021210")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 16:14
S210	2	(allocat\$3) with packets with based with queue adj size	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 16:36
S211	8	(allocat\$3) with packets with based with queue adj length	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 16:37
S212	26	(allocat\$3 sen\$4) with packet with based with queue adj length	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 16:43
S213	10	(allocat\$3 plac\$3) with packet with based with queue adj length	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 16:46
S214	13	(allocat\$3 plac\$3) with packet with based with queue adj (length size)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 16:46
S215	35	(allocat\$3 plac\$3) with packet with based with queue with (length size)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 16:51
S216	19	S215 and (@ad<="20021210" or @rlad<="20021210")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 16:51
S217	0	(transform\$3) with packet with based with queue with (length size)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 16:58
S218	537	packet with based with queue with (length size)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 16:58



S219	336	S218 and (@ad<="20021210" or @rlad<="20021210")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 16:58
S220	44	(ingres\$4 distribut\$3 forward \$3) with packet with based with queue with (length size)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 17:01
S221	30	S220 and (@ad<="20021210" or @rlad<="20021210")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 17:01
S222	9	(ingres\$4 distribut\$3 forward \$3) with packet with (depend \$3) with queue with (length size)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 17:10
S223	148	(ingres\$4 distribut\$3 forward\$3 allocat\$3) with (packet cell frame) with (depend\$3 bas\$3) with (queue) with (length size)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 17:14
S224	108	S223 and (@ad<="20021210" or @rlad<="20021210")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 17:14
S225	240	(ingres\$4 distribut\$3 forward\$3 allocat\$3) with (packet cell frame) with (depend\$3 bas\$3) with (queue) with (length size target watermark)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 17:16
S226	108	S224 and (@ad<="20021210" or @rlad<="20021210")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 17:16
S227	9594	(determin\$3 calculat\$3 estimat \$3) with (size length) with packet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 09:40
S228	3779	(determin\$3 calculat\$3 estimat \$3) near3 (size length) near3 packet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 09:41
S229	221	S228 and 370/412.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 09:41



S230	161	S229 and (@ad<="20021210" or @rlad<="20021210")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 09:42
S231	142	(ingres\$4 distribut\$3 forward\$3 allocat\$3) and S230	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 09:46
S232	2	"6262986".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 11:07
S233	225	scheduling with queueing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 11:13
S234	101	scheduling near\$ queueing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 11:13
S235	71	S234 and (@ad<="20021210" or @rlad<="20021210")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 11:14
S236	150	hierarchical adj\$ queue\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 15:38
S237	52	hierarchical adj queue\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 15:39
S238	504	queue\$3 with packet adj (size lenth)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 09:06
S239	296	S238 and (@ad<="20021210" or @rlad<="20021210")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 09:06
S240	47	(allocat\$3 plac\$3)with queue with packet adj (length size)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 09:08



S241	36	S240 and (@ad<="20021210" or @rlad<="20021210")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 09:08
S242	3	(allocat\$3 plac\$3)with queue adj (length size) with packet adj (length size)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 09:20
S243	680	queue adj data adj structure	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 09:30
S247	0	S240 and S243	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 09:33
S248	9	S238 and S243	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 09:33
S249	0	(allocat\$3 plac\$3)with list adj (length size) with packet adj (length size)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 09:45
S250	2	(allocat\$3 plac\$3)with list adj3 (length size) with packet adj (length size)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 09:46
S251	85	(allocat\$3 plac\$3)with (queue buffer list) near3 (length size) with packet adj (length size)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 09:48
S252	57	S251 and (@ad<="20021210" or @rlad<="20021210")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 09:48
S253	6028	707/100.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 12:35
S254	132	queue adj set and "707".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 12:42



S255	95	S254 and (@ad<="20021210" or @rlad<="20021210")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 12:42
S256	6	"973765".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 12:54
S257	7	"747036".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 12:55
S258	2	"6029205".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 12:59
S259	33	queue adj generator	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 16:27
S261	0	queue adj generator and scheduler	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 16:28
S262	26	S259 and (@ad<="20021210" or @rlad<="20021210")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 16:29
S263	44	scheduler with (enqueueing dequeueing)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 16:31
S264	12	S263 and (notification notify)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 16:32
S265	7	S264 and (@ad<="20021210" or @rlad<="20021210")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 16:32
S266	30	scheduler and (empty\$3 transmit\$4 send\$3) with (whole entire) near3 queue	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 13:00



S267	18	S266 and (@ad<="20021210" or @rlad<="20021210")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 13:00
S268	63	scheduler and (empty\$3 transmit\$4 send\$3) with (whole entire all) near4 queue	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 13:06
S269	51	S268 and (@ad<="20021210" or @rlad<="20021210")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 13:07
S270	2	"6047000".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 13:10
S271	2	"6256315".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 13:17
S272	286	(first adj packet) with (first near4 size)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/09 09:49
S273	184	S272 and (@ad<="20021210" or @rlad<="20021210")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/09 09:49
S274	3	queue with different near5 packet near5 size	USPAT	OR	OFF	2008/12/09 11:20
S275	45	queue with different near5 packet near5 size	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/09 11:22
S276	8477	queu\$3 and multicast\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/09 11:27
S277	2181	queu\$3 same multicast\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/09 11:27



S278	1370	queu\$3 with multicast\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/09 11:27
S279	906	S278 and "370".clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/09 11:28
S280	694	S279 and (@ad<="20021210" or @rlad<="20021210")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/09 11:28
S281	275	(two plurality) near3 queue same multicast\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/09 15:29
S282	208	S281 and (@ad<="20021210" or @rlad<="20021210")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/09 15:30
S283	29	S282 and queue adj set	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/09 15:35
S284	97	(two plurality) near3 queue same replicat\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 08:40
S285	18	S284 and number with times with replicat\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 08:45
S286	2	"5410540".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 08:49
S287	19	(two plurality) near3 queue same (packet with replicat\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 09:00
S288	34	replication adj counter	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 09:09



S289	6	multicast\$3 and replication adj counter	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 09:22
S290	95	replication adj count\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 09:24

12/10/2008 1:21:55 PM

C:\Documents and Settings\gvianadiprisco\My Documents\EAST\Workspaces\10734081.wsp